



Certificate of Analysis
Compliance Test

Client Information:

PAN PACIFIC VENTURES, LP Batch # TC002 Test Reg State: Florida
PO BOX 672 Batch Date: 2023-11-17
KULA, HI 96790 Extracted From: 11/17/23

Order # PAN231117-010001 Sampling Date: 2023-11-28 Initial Gross Weight: 82.984 g Number of Units: 1
Order Date: 2023-11-17 Lab Batch Date: 2023-11-28 Density: 1.000 g/ml Net Weight per Unit: 30000.000 mg
Sample # AAFB220 Completion Date: 2023-12-04 Sampling Method: MSP 7.3.1



Product Image

Potency Tested **Terpenes Tested** **Heavy Metals Passed** **Mycotoxins Passed** **Pesticides Passed**
Residual Solvents Tested **Pathogenic Microbiology Passed** **Microbiology (qPCR) Passed**

Potency 10

Specimen Weight: 107.450 mg

Tested

SOP13.001 (LCUV)

Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (mg/ml)	Result (%)
CBD	10.000	5.40E-5	0.0015	119.8200	11.9820
CBG	10.000	2.48E-4	0.0015	9.6800	0.9680
CBN	10.000	1.40E-5	0.0015	0.8600	0.0860
CBDV	10.000	6.50E-5	0.0015	0.7600	0.0760
CBC	10.000	1.80E-5	0.0015	<LOQ	<LOQ
CBDA	10.000	1.00E-5	0.0015	<LOQ	<LOQ
CBGA	10.000	8.00E-5	0.0015	<LOQ	<LOQ
Delta-9 THC	10.000	1.30E-5	0.0015	<LOQ	<LOQ
THCA-A	10.000	3.20E-5	0.0015	<LOQ	<LOQ
THCV	10.000	7.00E-6	0.0015	<LOQ	<LOQ
Total Active CBD	10.000			119.820	11.982
Total Active THC	10.000			<LOQ	<LOQ

Potency Summary

Total Active THC None Detected	Total Active CBD 11.982%	Total Active CBD 3,594.600 mg
Total CBG 0.968%	Total CBN 0.086%	Total CBN 25.800 mg
Other Cannabinoids 0.076%	Total Cannabinoids 13.112%	Total Cannabinoids 3,933.600 mg

Terpenes Summary

Analyte	Result (mg/g)	(%)
Eucalyptol	3.492	0.349%
(R)-(+)-Limonene	3.206	0.321%
trans-Caryophyllene	0.873	0.087%
Linalool	0.588	0.059%
alpha-Pinene	0.55	0.055%
3-Carene	0.532	0.053%
Pulegone	0.387	0.039%
beta-Pinene	0.359	0.036%

Total Terpenes: 0.999%

Detailed Terpenes Analysis is on the following page

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.87), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THC = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.877) + CBG, CBN Total = (CBNA * 0.877) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta6a10a-THC + Delta8-THC + Total CBN + CBT + CBE + Delta8-THCV + Total CBG + Total CBD + Total THCV + CBL + Total THC + Total CBC + Total CBDV + Delta10-THC + Total THC-O-Acetate + Total THCP. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram (cfu/g) = Colony Forming Unit per Gram, , LOD = Limit of Detection, (µg/g) = Microgram per Gram (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram, ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 Sample not received via laboratory sampling.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.



Certificate of Analysis
Compliance Test

Client Information:

PAN PACIFIC VENTURES, LP Batch # TC002 Test Reg State: Florida
PO BOX 672 Batch Date: 2023-11-17
KULA, HI 96790 Extracted From: 11/17/23

Order # PAN231117-010001 Sampling Date: 2023-11-28 Initial Gross Weight: 82.984 g Number of Units: 1
Order Date: 2023-11-17 Lab Batch Date: 2023-11-28 Density: 1.000 g/ml Net Weight per Unit: 30000.000 mg
Sample # AAFB220 Completion Date: 2023-12-04 Sampling Method: MSP 7.3.1

Terpenes Specimen Weight: 107.450 mg **Tested**
SOP13.045 (GC/GCMS)

Analyte	LOQ (%)	Result (mg/g)	(%)	Analyte	LOQ (%)	Result (mg/g)	(%)
Eucalyptol	0.002	3.492	0.349	cis-Nerolidol	0.002	<LOQ	<LOQ
(R)-(+)-Limonene	0.002	3.206	0.321	Farnesene	0.002	<LOQ	<LOQ
trans-Caryophyllene	0.002	0.873	0.087	Fenchone	0.002	<LOQ	<LOQ
Linalool	0.002	0.588	0.059	Fenchyl Alcohol	0.002	<LOQ	<LOQ
alpha-Pinene	0.002	0.550	0.055	Gamma-Terpinene	0.002	<LOQ	<LOQ
3-Carene	0.002	0.532	0.053	Geraniol	0.002	<LOQ	<LOQ
Pulegone	0.002	0.387	0.039	Geranyl acetate	0.002	<LOQ	<LOQ
beta-Pinene	0.002	0.359	0.036	Guaiol	0.002	<LOQ	<LOQ
(+)-Cedrol	0.002	<LOQ	<LOQ	Hexahydrothymol	0.002	<LOQ	<LOQ
alpha-Bisabolol	0.002	<LOQ	<LOQ	Isoborneol	0.002	<LOQ	<LOQ
alpha-Cedrene	0.002	<LOQ	<LOQ	Isopulegol	0.002	<LOQ	<LOQ
alpha-Humulene	0.002	<LOQ	<LOQ	Nerol	0.002	<LOQ	<LOQ
alpha-Phellandrene	0.002	<LOQ	<LOQ	Ocimene	0.00033	<LOQ	<LOQ
alpha-Terpinene	0.002	<LOQ	<LOQ	Sabinene	0.002	<LOQ	<LOQ
beta-Myrcene	0.002	<LOQ	<LOQ	Sabinene Hydrate	0.002	<LOQ	<LOQ
Borneol	0.004	<LOQ	<LOQ	Terpinolene	0.002	<LOQ	<LOQ
Camphene	0.002	<LOQ	<LOQ	Total Terpeneol	0.00126	<LOQ	<LOQ
Camphors	0.006	<LOQ	<LOQ	trans-Nerolidol	0.002	<LOQ	<LOQ
Caryophyllene oxide	0.002	<LOQ	<LOQ	Valencene	0.002	<LOQ	<LOQ

Total Yeast and Mold Specimen Weight: 485.100 mg **Passed** SOP13.017 (qPCR)
Pathogenic Microbiology SAE (MicroArray) Specimen Weight: 1030.800 mg **Passed** SOP13.019 (Micro Array)

Analyte	Action Level (cfu/g)	Result (cfu/g)	Remark
Total Yeast/Mold	100000	<LOQ	Passed

Analyte	Result (cfu/g)	Analyte	Result (cfu/g)
Aspergillus flavus	Absence in 1g	Aspergillus terreus	Absence in 1g
Aspergillus fumigatus	Absence in 1g	Salmonella	Absence in 1g
Aspergillus niger	Absence in 1g	STEC E. Coli	Absence in 1g

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.





Certificate of Analysis
Compliance Test

Client Information:

PAN PACIFIC VENTURES, LP Batch # TC002 Test Reg State: Florida
PO BOX 672 Batch Date: 2023-11-17
KULA, HI 96790 Extracted From: 11/17/23

Order # PAN231117-010001 Sampling Date: 2023-11-28 Initial Gross Weight: 82.984 g Number of Units: 1
Order Date: 2023-11-17 Lab Batch Date: 2023-11-28 Density: 1.000 g/ml Net Weight per Unit: 30000.000 mg
Sample # AAFB220 Completion Date: 2023-12-04 Sampling Method: MSP 7.3.1

Heavy Metals **Passed**
Specimen Weight: 247.700 mg SOP13.048 (ICP-MS)

Dilution Factor: 201

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Arsenic (As)	4.83	100	1500	<LOQ	Lead (Pb)	11.76	100	500	<LOQ
Cadmium (Cd)	.64	100	500	<LOQ	Mercury (Hg)	.58	100	3000	<LOQ

Mycotoxins **Passed**
Specimen Weight: 605.100 mg SOP13.007 (LCMS)

Dilution Factor: 2.480

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Aflatoxin B1	3.0400E-1	6	20	<LOQ	Aflatoxin G2	2.7100E-1	6	20	<LOQ
Aflatoxin B2	7.7000E-2	6	20	<LOQ	Ochratoxin A	7.5400E-1	3.8	20	<LOQ
Aflatoxin G1	3.0400E-1	6	20	<LOQ					

Residual Solvents - FL (CBD) **Tested**
Specimen Weight: 319.400 mg SOP13.039 (GCMS)

Dilution Factor: 500.000

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
1,1-Dichloroethene	0.0094	0.16	8	<LOQ	Heptane	0.0013	1.39	5000	<LOQ
1,2-Dichloroethane	0.0003	0.04	5	<LOQ	Hexane	0.068	1.17	290	<LOQ
Acetone	0.015	2.08	5000	<LOQ	Isopropyl alcohol	0.0048	1.39	500	<LOQ
Acetonitrile	0.06	1.17	410	<LOQ	Methanol	0.0005	0.69	3000	<LOQ
Benzene	0.0002	0.02	2	<LOQ	Methylene chloride	0.0029	2.43	600	<LOQ
Butanes	0.4167	2.5	2000	<LOQ	Pentane	0.037	2.08	5000	<LOQ
Chloroform	0.0001	0.04	60	<LOQ	Propane	0.031	5.83	2100	<LOQ
Ethanol	0.0021	2.78	5000	137058.299	Toluene	0.0009	2.92	890	<LOQ
Ethyl Acetate	0.0012	1.11	5000	<LOQ	Total Xylenes	0.0001	2.92	2170	<LOQ
Ethyl Ether	0.0049	1.39	5000	<LOQ	Trichloroethylene	0.0014	0.49	80	<LOQ
Ethylene Oxide	0.0038	0.1	5	<LOQ					

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.





Certificate of Analysis
Compliance Test

Client Information:

PAN PACIFIC VENTURES, LP Batch # TC002 Test Reg State: Florida
PO BOX 672 Batch Date: 2023-11-17
KULA, HI 96790 Extracted From: 11/17/23

Order # PAN231117-010001 Sampling Date: 2023-11-28 Initial Gross Weight: 82.984 g Number of Units: 1
Order Date: 2023-11-17 Lab Batch Date: 2023-11-28 Density: 1.000 g/ml Net Weight per Unit: 30000.000 mg
Sample # AAFB220 Completion Date: 2023-12-04 Sampling Method: MSP 7.3.1

Pesticides
Specimen Weight: 605.100 mg

Passed

SOP13.007 (LCMS/GCMS)

Dilution Factor: 2.480

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Abamectin	2.8800E-1	28.23	300	<LOQ	Fludioxonil	1.7400E+0	48	3000	<LOQ
Acephate	2.3000E-2	30	3000	<LOQ	Hexythiazox	4.9000E-2	30	2000	<LOQ
Acequinocyl	9.5640E+0	48	2000	<LOQ	Imazalil	2.4800E-1	30	100	<LOQ
Acetamiprid	5.2000E-2	30	3000	<LOQ	Imidacloprid	9.4000E-2	30	3000	<LOQ
Aldicarb	2.6000E-2	30	100	<LOQ	Kresoxim Methyl	4.2000E-2	30	1000	<LOQ
Azoxystrobin	8.1000E-2	10	3000	<LOQ	Malathion	8.2000E-2	30	2000	<LOQ
Bifenazate	1.4150E+0	30	3000	<LOQ	Metalaxyl	8.1000E-2	10	3000	<LOQ
Bifenthrin	4.3000E-2	30	500	<LOQ	Methiocarb	3.2000E-2	30	100	<LOQ
Boscalid	5.5000E-2	10	3000	<LOQ	Methomyl	2.2000E-2	30	100	<LOQ
Captan	6.1200E+0	30	3000	<LOQ	methyl-Parathion	1.7100E+0	10	100	<LOQ
Carbaryl	2.2000E-2	10	500	<LOQ	Mevinphos	2.1500E+0	10	100	<LOQ
Carbofuran	3.4000E-2	10	100	<LOQ	Myclobutanil	1.0290E+0	30	3000	<LOQ
Chlorantraniliprole	3.3000E-2	10	3000	<LOQ	Naled	9.5000E-2	30	500	<LOQ
Chlordane	1.0000E+1	10	100	<LOQ	Oxamyl	2.5000E-2	30	500	<LOQ
Chlorfenapyr	3.4000E-2	30	100	<LOQ	Paclobutrazol	6.5000E-2	30	100	<LOQ
Chloromequat Chloride	1.0800E-1	10	3000	16.180	Pentachloronitrobenzene	1.3200E+0	10	200	<LOQ
Chlorpyrifos	3.5000E-2	30	100	<LOQ	Permethrin	3.4300E-1	30	1000	<LOQ
Clofentezine	1.1900E-1	30	500	<LOQ	Phosmet	8.2000E-2	30	200	<LOQ
Coumaphos	3.7700E+0	48	100	<LOQ	Piperonylbutoxide	2.9000E-2	30	3000	<LOQ
Cyfluthrin	3.1100E+0	30	1000	<LOQ	Prallethrin	7.9800E-1	30	400	<LOQ
Cypermethrin	1.4490E+0	30	1000	<LOQ	Propiconazole	7.0000E-2	30	1000	<LOQ
Daminozide	8.8500E-1	30	100	<LOQ	Propoxur	4.6000E-2	30	100	<LOQ
Diazinon	4.4000E-2	30	200	<LOQ	Pyrethrins	2.3593E+1	30	1000	<LOQ
Dichlorvos	2.1820E+0	30	100	<LOQ	Pyridaben	3.2000E-2	30	3000	<LOQ
Dimethoate	2.1000E-2	30	100	<LOQ	Spinetoram	8.0000E-2	10	3000	<LOQ
Dimethomorph	5.8300E+0	48	3000	<LOQ	Spinosad	8.8000E-2	30	3000	<LOQ
Ethoprophos	3.6000E-1	30	100	<LOQ	Spiromesifen	2.6100E-1	30	3000	<LOQ
Etofenprox	1.1600E-1	30	100	<LOQ	Spirotetramat	8.9000E-2	30	3000	<LOQ
Etoxazole	9.5000E-2	30	1500	<LOQ	Spiroxamine	1.3100E-1	30	100	<LOQ
Fenhexamid	5.1000E-1	10	3000	<LOQ	Tebuconazole	6.7000E-2	30	1000	<LOQ
Fenoxycarb	1.0700E-1	30	100	<LOQ	Thiacloprid	6.4000E-2	30	100	<LOQ
Fenpyroximate	1.3800E-1	30	2000	<LOQ	Thiamethoxam	5.0000E-2	30	1000	<LOQ
Fipronil	1.0700E-1	30	100	<LOQ	Trifloxystrobin	3.7000E-2	30	3000	<LOQ
Fonicamid	5.1700E-1	30	2000	<LOQ					

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

