



Certificate of Analysis

Compliance Test

Client Information:

Liquid lava
670 Kingsley ave
Orange park, Florida 32803

Batch # 45
Batch Date: 2025-01-10
Extracted From: hemp

Test Reg State: Florida

Production Facility: liquid lava
Production Date: 2025-01-10

Order # LIQ250110-190001
Order Date: 2025-01-10
Sample # AAGH496

Sampling Date: 2025-01-21
Lab Batch Date: 2025-01-21
Completion Date: 2025-01-27

Volume: 60 ml



Product Image



Potency
Tested



Potency 10

Specimen Weight: 20000.000 mg

Tested

SOP13.001 (LCMS)

Analyte	LOD (mg/g)	LOQ (%)	Result (µg/ml)	(%)
Delta-9 THC	1.30E-5	0.015	2060.000	0.206
THCV	7.00E-6	0.015	28.380	0.002838
CBN	1.40E-5	0.015	10.310	0.001031
CBG	2.48E-4	0.015	6.925	0.000693
CBD	5.40E-5	0.015	1.428	0.000143
CBC	1.80E-5	0.015	<LOQ	<LOQ
CBDA	1.00E-5	0.015	<LOQ	<LOQ
CBDV	6.50E-5	0.015	<LOQ	<LOQ
CBGA	8.00E-5	0.015	<LOQ	<LOQ
THCA-A	3.20E-5	0.015	<LOQ	<LOQ
Total Active CBD			0.001	0.000143
Total Active THC			2.060	0.206



Potency Summary

Total Active THC 0.206% 123.6mg	Total Active CBD 0.000143% 0.0858mg
Total CBG 0.000693% 0.416mg	Total CBN 0.001031% 0.619mg
Total Cannabinoids 0.210704% 126.422mg	

Aixia Sun

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. The results apply to the sample as received.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.