



## Certificate of Analysis

Compliance Test

### Client Information:

**Pan Pacific Ventures / Maui**  
**Grown Remedies / Maui**  
**Molecular**  
**PO BOX 672**  
**KULA, HI 96790**

Batch # IHT001  
Batch Date: 2025-02-14  
Extracted From: Mixed

Test Reg State: Florida

Production Facility: Kula PC  
Production Date: 2025-02-14

Order # PAN250214-020001  
Order Date: 2025-02-14  
Sample # AAGK147

Sampling Date: 2025-02-19  
Lab Batch Date: 2025-02-19  
Completion Date: 2025-02-25

Initial Gross Weight: 49.073 g  
Density: 0.986 g/ml



Product Image



**Potency  
Tested**



**Heavy Metals  
Passed**



**Mycotoxins  
Passed**



**Pesticides  
Passed**



**Residual Solvents  
Passed**



**Pathogenic  
Passed**



**Microbiology (qPCR)  
Passed**



### Potency 10

Specimen Weight: 1516.700 mg

### Tested

SOP13.001 (LCUV)

| Analyte          | LOD<br>(mg/g) | LOQ<br>(%) | Result<br>(mg/ml) | (%)   |
|------------------|---------------|------------|-------------------|-------|
| CBD              | 5.40E-5       | 0.015      | 22.230            | 2.223 |
| CBDV             | 6.50E-5       | 0.015      | 4.760             | 0.476 |
| CBN              | 1.40E-5       | 0.015      | 1.790             | 0.179 |
| Delta-9 THC      | 1.30E-5       | 0.015      | 1.230             | 0.123 |
| CBG              | 2.48E-4       | 0.015      | 0.680             | 0.068 |
| CBDA             | 1.00E-5       | 0.015      | 0.620             | 0.062 |
| CBC              | 1.80E-5       | 0.015      | 0.560             | 0.056 |
| CBGA             | 8.00E-5       | 0.015      | 0.260             | 0.026 |
| THCA-A           | 3.20E-5       | 0.015      | <LOQ              | <LOQ  |
| THCV             | 7.00E-6       | 0.015      | <LOQ              | <LOQ  |
| Total Active CBD |               |            | 22.774            | 2.277 |
| Total Active THC |               |            | 1.230             | 0.123 |



### Potency Summary

**Total Active THC  
0.123%**

**Total Active CBD  
2.277%**

**Total CBG  
0.091%**

**Total CBN  
0.179%**

**Total Cannabinoids  
3.213%**

*Aixia Sun*

Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A \* 0.877), \*Total CBDV = CBDV + (CBDVA \* 0.867), Total Active THC = THCA-A \* 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA \* 0.87), CBG Total = (CBGA \* 0.878) + CBG, CBN Total = (CBNA \* 0.876) + CBN, Total CBC = CBC + (CBCA \* 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. The results apply to the sample as received.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.



## Certificate of Analysis

Compliance Test

### Client Information:

**Pan Pacific Ventures / Maui**  
**Grown Remedies / Maui**  
**Molecular**  
**PO BOX 672**  
**KULA, HI 96790**

Batch # IHT001  
Batch Date: 2025-02-14  
Extracted From: Mixed

Test Reg State: Florida

Production Facility: Kula PC  
Production Date: 2025-02-14

Order # PAN250214-020001  
Order Date: 2025-02-14  
Sample # AAGK147

Sampling Date: 2025-02-19  
Lab Batch Date: 2025-02-19  
Completion Date: 2025-02-25

Initial Gross Weight: 49.073 g  
Density: 0.986 g/ml

### PCR Total Yeast and Mold

Specimen Weight: 491.300 mg

**Passed**  
SOP13.017 (qPCR)

Dilution Factor: 8.000

| Analyte           | Action Level (cfu/g)      | LOQ (cfu/g)              | Result (cfu/g)            |
|-------------------|---------------------------|--------------------------|---------------------------|
| Total Yeast/Mold  | 100000                    | 1000                     | <LOQ                      |
| Prep. By: 1161    | Date: 2025-02-20 11:37:21 | Analyzed By: 1161        | Date: 2025-02-20 11:37:21 |
| Reviewed By: 1179 | Date: 2025-02-20 20:31:58 | Lab Batch #: AAGK147-218 | Date: 2025-02-20 20:31:58 |


### Pathogenic SAE (qPCR)

Specimen Weight: 1000.200 mg

**Passed**  
SOP13.029 (qPCR)

Dilution Factor: 1.000

| Analyte                                         | Action Level (cfu/g) | Result (cfu/g) | Analyte    | Action Level (cfu/g) | Result (cfu/g) |
|-------------------------------------------------|----------------------|----------------|------------|----------------------|----------------|
| Aspergillus (Flavus, Fumigatus, Niger, Terreus) | 1                    | Absence in 1g  | Salmonella | 1                    | Absence in 1g  |
| E.Coli                                          | 1                    | Absence in 1g  |            |                      |                |

  
Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.





## Certificate of Analysis

Compliance Test

### Client Information:

**Pan Pacific Ventures / Maui**  
**Grown Remedies / Maui**  
**Molecular**  
**PO BOX 672**  
**KULA, HI 96790**

Batch # IHT001  
Batch Date: 2025-02-14  
Extracted From: Mixed

Test Reg State: Florida

Production Facility: Kula PC  
Production Date: 2025-02-14

Order # PAN250214-020001  
Order Date: 2025-02-14  
Sample # AAGK147

Sampling Date: 2025-02-19  
Lab Batch Date: 2025-02-19  
Completion Date: 2025-02-25

Initial Gross Weight: 49.073 g  
Density: 0.986 g/ml



### Heavy Metals

Specimen Weight: 249.700 mg

**Passed**  
SOP13.048 (ICP-MS)

Dilution Factor: 200

| Analyte      | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) | Analyte      | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) |
|--------------|-----------|-----------|--------------------|--------------|--------------|-----------|-----------|--------------------|--------------|
| Arsenic (As) | 4.83      | 100       | 1500               | <LOQ         | Lead (Pb)    | 11.76     | 100       | 500                | <LOQ         |
| Cadmium (Cd) | .64       | 100       | 500                | <LOQ         | Mercury (Hg) | .58       | 100       | 3000               | <LOQ         |



### Mycotoxins

Specimen Weight: 617.600 mg

**Passed**  
SOP13.007 (LCMS)

Dilution Factor: 2.430

| Analyte      | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) | Analyte      | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) |
|--------------|-----------|-----------|--------------------|--------------|--------------|-----------|-----------|--------------------|--------------|
| Aflatoxin B1 | 3.0400E-1 | 6         | 20                 | <LOQ         | Aflatoxin G2 | 2.7100E-1 | 6         | 20                 | <LOQ         |
| Aflatoxin B2 | 7.7000E-2 | 6         | 20                 | <LOQ         | Ochratoxin A | 7.5400E-1 | 3.8       | 20                 | <LOQ         |
| Aflatoxin G1 | 3.0400E-1 | 6         | 20                 | <LOQ         |              |           |           |                    |              |




### Residual Solvents - FL (CBD)

Specimen Weight: 17.500 mg

**Passed**  
SOP13.039 (GCMS-HS)

Dilution Factor: 1.000

| Analyte            | LOD (ppm) | LOQ (ppm) | Action Level (ppm) | Result (ppm) | Analyte            | LOD (ppm) | LOQ (ppm) | Action Level (ppm) | Result (ppm) |
|--------------------|-----------|-----------|--------------------|--------------|--------------------|-----------|-----------|--------------------|--------------|
| 1,1-Dichloroethene | 0.0094    | 0.16      | 8                  | <LOQ         | Heptane            | 0.0013    | 1.39      | 5000               | <LOQ         |
| 1,2-Dichloroethane | 0.0003    | 0.04      | 2                  | <LOQ         | Hexane             | 0.068     | 1.17      | 290                | <LOQ         |
| Acetone            | 0.015     | 2.08      | 5000               | <LOQ         | Isopropyl alcohol  | 0.0048    | 1.39      | 500                | <LOQ         |
| Acetonitrile       | 0.06      | 1.17      | 410                | <LOQ         | Methanol           | 0.0005    | 0.69      | 3000               | <LOQ         |
| Benzene            | 0.0002    | 0.02      | 2                  | <LOQ         | Methylene chloride | 0.0029    | 2.43      | 600                | <LOQ         |
| Butanes            | 0.4167    | 2.5       | 2000               | <LOQ         | Pentane            | 0.037     | 2.08      | 5000               | <LOQ         |
| Chloroform         | 0.0001    | 0.04      | 60                 | <LOQ         | Propane            | 0.031     | 5.83      | 2100               | <LOQ         |
| Ethanol            | 0.0021    | 2.78      | 5000               | <LOQ         | Toluene            | 0.0009    | 2.92      | 890                | <LOQ         |
| Ethyl Acetate      | 0.0012    | 1.11      | 5000               | <LOQ         | Total Xylenes      | 0.0001    | 2.92      | 2170               | <LOQ         |
| Ethyl Ether        | 0.0049    | 1.39      | 5000               | <LOQ         | Trichloroethylene  | 0.0014    | 0.49      | 80                 | <LOQ         |
| Ethylene Oxide     | 0.0038    | 0.1       | 5                  | <LOQ         |                    |           |           |                    |              |



Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.





## Certificate of Analysis

Compliance Test

**Client Information:**

**Pan Pacific Ventures / Maui**  
**Grown Remedies / Maui**  
**Molecular**  
**PO BOX 672**  
**KULA, HI 96790**

Batch # IHT001  
Batch Date: 2025-02-14  
Extracted From: Mixed

Test Reg State: Florida

Production Facility: Kula PC  
Production Date: 2025-02-14

Order # PAN250214-020001  
Order Date: 2025-02-14  
Sample # AAGK147

Sampling Date: 2025-02-19  
Lab Batch Date: 2025-02-19  
Completion Date: 2025-02-25

Initial Gross Weight: 49.073 g  
Density: 0.986 g/ml




**Pesticides**

Specimen Weight: 617.600 mg

**Passed**  
SOP13.007 (LCMS)

Dilution Factor: 2.430

| Analyte              | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) | Analyte                 | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) |
|----------------------|-----------|-----------|--------------------|--------------|-------------------------|-----------|-----------|--------------------|--------------|
| Abamectin            | 2.8800E-1 | 28.23     | 300                | <LOQ         | Fludioxonil             | 1.7400E+0 | 48        | 3000               | <LOQ         |
| Acephate             | 2.3000E-2 | 30        | 3000               | <LOQ         | Hexythiazox             | 4.9000E-2 | 30        | 2000               | <LOQ         |
| Acequinocyl          | 9.5640E+0 | 48        | 2000               | <LOQ         | Imazalil                | 2.4800E-1 | 30        | 100                | <LOQ         |
| Acetamiprid          | 5.2000E-2 | 30        | 3000               | <LOQ         | Imidacloprid            | 9.4000E-2 | 30        | 3000               | <LOQ         |
| Aldicarb             | 2.6000E-2 | 30        | 100                | <LOQ         | Kresoxim Methyl         | 4.2000E-2 | 30        | 1000               | <LOQ         |
| Azoxystrobin         | 8.1000E-2 | 10        | 3000               | <LOQ         | Malathion               | 8.2000E-2 | 30        | 2000               | <LOQ         |
| Bifenazate           | 1.4150E+0 | 30        | 3000               | <LOQ         | Metaxyl                 | 8.1000E-2 | 10        | 3000               | <LOQ         |
| Bifenthrin           | 4.3000E-2 | 30        | 500                | <LOQ         | Methiocarb              | 3.2000E-2 | 30        | 100                | <LOQ         |
| Boscalid             | 5.5000E-2 | 10        | 3000               | <LOQ         | Methomyl                | 2.2000E-2 | 30        | 100                | <LOQ         |
| Captan               | 6.1200E+0 | 30        | 3000               | <LOQ         | methyl-Parathion        | 1.7100E+0 | 10        | 100                | <LOQ         |
| Carbaryl             | 2.2000E-2 | 10        | 500                | <LOQ         | Mevinphos               | 2.1500E+0 | 10        | 100                | <LOQ         |
| Carbofuran           | 3.4000E-2 | 10        | 100                | <LOQ         | Myclobutanil            | 1.0290E+0 | 30        | 3000               | <LOQ         |
| Chlorantraniliprole  | 3.3000E-2 | 10        | 3000               | <LOQ         | Naled                   | 9.5000E-2 | 30        | 500                | <LOQ         |
| Chlordane            | 1.0000E+1 | 10        | 100                | <LOQ         | Oxamyl                  | 2.5000E-2 | 30        | 500                | <LOQ         |
| Chlorfenapyr         | 3.4000E-2 | 30        | 100                | <LOQ         | Paclobutrazol           | 6.5000E-2 | 30        | 100                | <LOQ         |
| Chlormequat Chloride | 1.0800E-1 | 10        | 3000               | <LOQ         | Pentachloronitrobenzene | 1.3200E+0 | 10        | 200                | <LOQ         |
| Chlorpyrifos         | 3.5000E-2 | 30        | 100                | <LOQ         | Permethrin              | 3.4300E-1 | 30        | 1000               | 30.250       |
| Clofentezine         | 1.1900E-1 | 30        | 500                | <LOQ         | Phosmet                 | 8.2000E-2 | 30        | 200                | <LOQ         |
| Coumaphos            | 3.7700E+0 | 48        | 100                | <LOQ         | Piperonylbutoxide       | 2.9000E-2 | 30        | 3000               | <LOQ         |
| Cyfluthrin           | 3.1100E+0 | 30        | 1000               | <LOQ         | Prallethrin             | 7.9800E-1 | 30        | 400                | <LOQ         |
| Cypermethrin         | 1.4490E+0 | 30        | 1000               | <LOQ         | Propiconazole           | 7.0000E-2 | 30        | 1000               | <LOQ         |
| Daminozide           | 8.8500E-1 | 30        | 100                | <LOQ         | Propoxur                | 4.6000E-2 | 30        | 100                | <LOQ         |
| Diazinon             | 4.4000E-2 | 30        | 200                | <LOQ         | Pyrethrins              | 2.3593E+1 | 30        | 1000               | <LOQ         |
| Dichlorvos           | 2.1820E+0 | 30        | 100                | <LOQ         | Pyridaben               | 3.2000E-2 | 30        | 3000               | <LOQ         |
| Dimethoate           | 2.1000E-2 | 30        | 100                | <LOQ         | Spinetoram              | 8.0000E-2 | 10        | 3000               | <LOQ         |
| Dimethomorph         | 5.8300E+0 | 48        | 3000               | <LOQ         | Spinosad                | 8.8000E-2 | 30        | 3000               | <LOQ         |
| Ethoprophos          | 3.6000E-1 | 30        | 100                | <LOQ         | Spiromesifen            | 2.6100E-1 | 30        | 3000               | <LOQ         |
| Etofenprox           | 1.1600E-1 | 30        | 100                | <LOQ         | Spirotetramat           | 8.9000E-2 | 30        | 3000               | <LOQ         |
| Etoxazole            | 9.5000E-2 | 30        | 1500               | <LOQ         | Spiroxamine             | 1.3100E-1 | 30        | 100                | <LOQ         |
| Fenhexamid           | 5.1000E-1 | 10        | 3000               | <LOQ         | Tebuconazole            | 6.7000E-2 | 30        | 1000               | <LOQ         |
| Fenoxycarb           | 1.0700E-1 | 30        | 100                | <LOQ         | Thiacloprid             | 6.4000E-2 | 30        | 100                | <LOQ         |
| Fenpyroximate        | 1.3800E-1 | 30        | 2000               | <LOQ         | Thiamethoxam            | 5.0000E-2 | 30        | 1000               | <LOQ         |
| Fipronil             | 1.0700E-1 | 30        | 100                | <LOQ         | Trifloxystrobin         | 3.7000E-2 | 30        | 3000               | <LOQ         |
| Flonicamid           | 5.1700E-1 | 30        | 2000               | <LOQ         |                         |           |           |                    |              |

  
Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

