



Certificate of Analysis
Compliance Test

Client Information:

Earth Fix
27982 RILEY RD
NORTH LIBERTY, Indiana 46554

Batch # 031425
Batch Date: 2025-03-14
Extracted From: Hemp

Test Reg State: Florida

Order # EAR250319-150001
Order Date: 2025-03-19
Sample # AAGM907

Sampling Date: 2025-03-25
Lab Batch Date: 2025-03-25
Completion Date: 2025-04-07

Volume: 60 ml



Product Image



Potency
Tested

Potency 10
Specimen Weight: 55000.000 mg

Tested
SOP13.001 (LCMS)



Potency Summary

Analyte	LOD (mg/g)	LOQ (%)	Result (µg/ml)	(%)
CBD	5.40E-5	0.015	4350.000	0.435
CBDV	6.50E-5	0.015	9.702	0.00097
Delta-9 THC	1.30E-5	0.015	1.378	0.000138
CBC	1.80E-5	0.015	<LOQ	<LOQ
CBDA	1.00E-5	0.015	<LOQ	<LOQ
CBG	2.48E-4	0.015	<LOQ	<LOQ
CBGA	8.00E-5	0.015	<LOQ	<LOQ
CBN	1.40E-5	0.015	<LOQ	<LOQ
THCA-A	3.20E-5	0.015	<LOQ	<LOQ
THCV	7.00E-6	0.015	<LOQ	<LOQ
Total Active CBD			4.350	0.435
Total Active THC			0.001	0.000138

Total Active THC 0.000138% 0.0828mg	Total Active CBD 0.435% 261mg
Total CBG - ND	Total CBN - ND
Total Cannabinoids 0.436108% 261.665mg	

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THC = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 The results apply to the sample as received.
This report shall not be reproduced, without written approval, from ACS Laboratory The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

