



RSO Soft Chews - Guava - 10pcs - 100mg (l)

Sample Matrix:
CANNABIS (MMTC's)
Edibles
(Ingestion)



Certificate of Analysis

Patient COA

Client Information:

VidaCann

5569 Bowden Rd

Jacksonville, FL 32216

Batch # 6705 8777 4119 4800

Batch Date: 2025-03-17

Seed to Sale # 8170 1179 2672 5590

Lot ID: 4800-251703

Total Number of Final Products: 2196

Cultivars: Indica

Test Reg State: Florida

Initial Gross Weight: 535.700 g

Net Weight: 378.840 g

Number of Units: 11

Net Weight per Unit: 34440.000 mg

Sampling Method: MSP 7.3.1

Order # VID250321-060001

Order Date: 2025-03-21

Sample # AAGN047

Sampling Date: 2025-03-21

Lab Batch Date: 2025-03-21

Completion Date: 2025-03-25



Product Image



Potency
Passed



Terpenes
Tested



Heavy Metals
Passed



Mycotoxins
Passed



Pesticides
Passed



Residual Solvents
Passed



Moisture
Not Tested



Water Activity
Passed



Pathogenic
Passed



Microbiology (qPCR)
Passed



Filtration and Foreign
Passed



Homogeneity
Passed



Total Contaminant Load
Passed



Potency - 11

Specimen Weight: 1507.500 mg

Passed

SOP13.001, SOP13.040
(LCUV, LCMS)

Pieces For Panel: 10

Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (mg/g)	(%)
Delta-9 THC	10.000	1.30E-5	0.0015	3.11	0.311
CBG	10.000	2.48E-4	0.0015	0.0610	0.00600
CBN	10.000	1.40E-5	0.0015	0.0440	0.00400
CBC	10.000	1.80E-5	0.0015	0.0250	0.00300
CBD	10.000	5.40E-5	0.0015	0.0310	0.00300
THCV	10.000	7.00E-6	0.0015	0.0180	0.00200
CBDA	10.000	1.00E-5	0.0015	<LOQ	<LOQ
CBDV	10.000	6.50E-5	0.0015	<LOQ	<LOQ
CBGA	10.000	8.00E-5	0.0015	<LOQ	<LOQ
Delta-8 THC	10.000	2.60E-5	0.0015	<LOQ	<LOQ
THCA-A	10.000	3.20E-5	0.0015	<LOQ	<LOQ
Total Active CBD	10.000			0.0310	0.00300
Total Active THC	10.000			3.11	0.311

Prep. By: 1264

Date: 2025-03-22 19:03:47

Analyzed By: 1263

Date: 2025-03-22 13:24:23

Reviewed By: 1150

Date: 2025-03-24 18:44:08

Lab Batch #: AAGN047-174

Date: 2025-03-24 18:44:08



Potency Summary

Total THC/Unit 0.311% 107mg	Passed	Total THC/Serving 0.311% 10.7mg	Passed
Total Active THC 0.311% 107 mg		Total Active CBD 0.00300% 1.08 mg	
Total CBG 0.00600% 2.10 mg		Total CBN 0.00400% 1.53 mg	
Total Cannabinoids 0.329% 113 mg			



Terpenes Summary

Analyte	Result (mg/g)	(%)
(R)-(+)-Limonene	0.301	0.03%
Linalool	0.206	0.021%
trans-Caryophyllene	0.185	0.018%
beta-Myrcene	0.111	0.011%
trans-Nerolidol	0.106	0.011%
alpha-Bisabolol	0.092	0.009%
alpha-Humulene	0.076	0.008%
Pulegone	0.049	0.005%
Terpinolene	0.047	0.005%
Fenchyl Alcohol	0.043	0.004%

Total Terpenes: 0.122%

Detailed Terpenes Analysis is on the following page

Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034.

Total Contaminant Load (TCL) - The sum of all Heavy Metals and Agricultural Agents present above the LOQ, but below the Acceptable Limit.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.