


Certificate of Analysis
Compliance Test
Texas

Shots! fruit punch 125
Sample Matrix:
HEMP
Extract
Ingestion



Client Information: Liquid lava 670 Kingsley ave Orange park, Florida 32803	Manufacturing Facility: Liquid lava 670 Kingsley ave Orange park, Florida 32803 Production Date: 2026-03-19	Order Details: Test Reg State: Texas Order # LIQ260320-240001 Order Date: 2026-03-20 Sample # AAH0007 Net Weight per Serving: 10 ml Servings Per Package: 6	Batch Data: Batch # 83 Batch Date: 2026-03-19 Extracted From: hemp Sampling Date: 2026-03-20 Lab Batch Date: 2026-03-20 Orig. Completion Date: 2026-04-02 Expiration Date: 2027-04-02	Food Permits:
---	--	---	---	----------------------

Statement of Amendment: Merging reports



Staphylococcus Aureus Passed	Campylobacter Passed	Microbiology- Yersinia spp Passed	Potency 11 (LCMS) Tested	Pesticides Passed
Residual Solvents Passed	Pathogenic Microbiology Passed	Listeria Monocytogenes Passed	Microbiology Petrifilm Passed	

Potency Summary

Delta 9 THC per Serving per Package	0.199% 19.9 mg 119 mg	Total Active CBD per Serving per Package	<LOQ 0.00 mg 0.00 mg
Total CBG per Serving per Package	0.000119% 0.0119 mg 0.0714 mg	Total CBN per Serving per Package	0.000193% 0.0193 mg 0.116 mg
Total Cannabinoids per Serving per Package	0.219% 21.9 mg 131 mg	Total Active THC per Serving per Package	0.199% 19.9 mg 119 mg

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram, The results apply to the sample as received. *, * Measurement of Uncertainty for all test panels ≤15% Revised report- see statement of amendment above.
This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.

Certificate of Analysis
Compliance Test
Texas

Shots! fruit punch 125
Sample Matrix:
HEMP
Extract
Ingestion



Client Information: Liquid lava 670 Kingsley ave Orange park, Florida 32803	Manufacturing Facility: Liquid lava 670 Kingsley ave Orange park, Florida 32803 Production Date: 2026-03-19	Order Details: Test Reg State: Texas Order # LIQ260320-240001 Order Date: 2026-03-20 Sample # AAH0007 Net Weight per Serving: 10 ml Servings Per Package: 6	Batch Data: Batch # 83 Batch Date: 2026-03-19 Extracted From: hemp Sampling Date: 2026-03-20 Lab Batch Date: 2026-03-20 Orig. Completion Date: 2026-04-02 Expiration Date: 2027-04-02	Food Permits:
---	--	---	---	----------------------

Potency 11 - (LCMS) **Tested** SOP13.030 (LCMS)
Specimen Weight: 50000.000 mg

Analyte	Dilution (1:n)	LOD (mg/g)	LOQ (%)	Result (µg/ml)	(%)	Per Serving (mg)	Per Package (mg)
Delta-9 THC	400.000	2.980000E-5	7.5E-5	1990	0.199	19.9	119
Delta-8 THC	40.000	8.360000E-7	7.5E-5	183	0.0183	1.83	11.0
THCV	8.000	1.240000E-6	7.5E-5	9.34	0.000934	0.0934	0.560
CBN	8.000	1.250000E-6	7.5E-5	1.93	0.000193	0.0193	0.116
CBG	8.000	4.000000E-7	7.5E-5	1.19	0.000119	0.0119	0.0715
CBC	8.000	1.940000E-6	7.5E-5	<LOQ	<LOQ	0.00	0.00
CBD	8.000	3.370000E-7	7.5E-5	<LOQ	<LOQ	0.00	0.00
CBDA	8.000	7.780000E-8	7.5E-5	<LOQ	<LOQ	0.00	0.00
CBDV	8.000	9.800000E-8	7.5E-5	<LOQ	<LOQ	0.00	0.00
CBGA	8.000	4.710000E-8	7.5E-5	<LOQ	<LOQ	0.00	0.00
THCA-A	8.000	1.510000E-7	7.5E-5	<LOQ	<LOQ	0.00	0.00

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1
This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.



Certificate of Analysis

Compliance Test

Texas

Shots! fruit punch 125
Sample Matrix:
HEMP
Extract
Ingestion



Client Information: Liquid lava 670 Kingsley ave Orange park, Florida 32803	Manufacturing Facility: Liquid lava 670 Kingsley ave Orange park, Florida 32803 Production Date: 2026-03-19	Order Details: Test Reg State: Texas Order # LIQ260320-240001 Order Date: 2026-03-20 Sample # AAH0007 Net Weight per Serving: 10 ml Servings Per Package: 6	Batch Data: Batch # 83 Batch Date: 2026-03-19 Extracted From: hemp Sampling Date: 2026-03-20 Lab Batch Date: 2026-03-20 Orig. Completion Date: 2026-04-02 Expiration Date: 2027-04-02	Food Permits:
---	--	---	---	----------------------

Staphylococcus Aureus Specimen Weight: 133.600 mg	Passed SOP13.029 (qPCR)
Dilution Factor: 1.000	
Analyte Staphylococcus aureus	Result (cfu/g) Absence

Campylobacter Multi State * Specimen Weight: 509.800 mg	Passed SOP MIC-012 (Immunochromatographic)
Dilution Factor: 1.000	
Analyte Campylobacter spp	Result (cfu/g) Negative

Listeria Monocytogenes Specimen Weight: 488.100 mg	Passed SOP13.032 (qPCR)
Dilution Factor: 1.000	
Analyte Listeria Monocytogenes	Absence in 1g

Microbiology- Yersinia spp. Multi State * Specimen Weight: 256.600 mg	Passed SOP MIC-013 (Plating/PCR)
Dilution Factor: 1.000	
Analyte Yersinia enterocolitica	Result (cfu/g) Absence
Analyte Yersinia pseudotuberculosis	Result (cfu/g) Absence

Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions are found on page 1
This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.



Certificate of Analysis
Compliance Test
Texas

Shots! fruit punch 125
Sample Matrix:
HEMP
Extract
Ingestion



Client Information: Liquid lava 670 Kingsley ave Orange park, Florida 32803	Manufacturing Facility: Liquid lava 670 Kingsley ave Orange park, Florida 32803 Production Date: 2026-03-19	Order Details: Test Reg State: Texas Order # LIQ260320-240001 Order Date: 2026-03-20 Sample # AAH0007 Net Weight per Serving: 10 ml Servings Per Package: 6	Batch Data: Batch # 83 Batch Date: 2026-03-19 Extracted From: hemp Sampling Date: 2026-03-20 Lab Batch Date: 2026-03-20 Orig. Completion Date: 2026-04-02 Expiration Date: 2027-04-02	Food Permits:
--	--	---	---	----------------------

Microbiology Plating Multi State Specimen Weight: 496.500 mg	Passed SOP13.003 (Petrifilm)						
Dilution Factor: 1.000							
Analyte	LOQ (cfu/g)	Action Level (cfu/g)	Result (cfu/g)	Analyte	LOQ (cfu/g)	Action Level (cfu/g)	Result (cfu/g)
Total Aerobic Count	1000	100000	<1000	Total Yeast/Mold	1000	100000	<1000

Pathogenic Microbiology SAE (MicroArray) Multi State Specimen Weight: 501.400 mg	Passed SOP13.019 (Micro Array)				
Dilution Factor: 1.000					
Analyte	Action Level (cfu/g)	Result (cfu/g)	Analyte	Action Level (cfu/g)	Result (cfu/g)
E. Coli	1	Absence in 1g	STX1 Gene	1	Absence in 1g
Salmonella	1	Absence in 1g	STX2 Gene	1	Absence in 1g
Shiga toxin-producing E. coli (STEC)	1	Absence in 1g			

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1
This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.



Certificate of Analysis
Compliance Test
Texas

Shots! fruit punch 125
Sample Matrix:
HEMP
Extract
Ingestion



Client Information:

Liquid lava
670 Kingsley ave
Orange park, Florida
32803

Manufacturing Facility:

Liquid lava
670 Kingsley ave
Orange park, Florida 32803
Production Date: 2026-03-19

Order Details:

Test Reg State: Texas
Order # LIQ260320-240001
Order Date: 2026-03-20
Sample # AAH0007
Net Weight per Serving:
10 ml
Servings Per Package: 6

Batch Data:

Batch # 83
Batch Date: 2026-03-19
Extracted From: hemp
Sampling Date: 2026-03-20
Lab Batch Date: 2026-03-20
Orig. Completion Date: 2026-04-02
Expiration Date: 2027-04-02

Food Permits:



Residual Solvents Multi State - Ingestion

Specimen Weight: 15.300 mg

Passed

SOP13.039 (GCMS-HS)

Dilution Factor: 1.000

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
1,1-Dichloroethene	0.0094	1.6	8	<LOQ	Heptane	.0013	13.9	5000	<LOQ
1,2-Dichloroethane	0.0003	0.5	2	<LOQ	Hexane	.0678	11.7	250	<LOQ
Acetone	0.0151	20.8	750	<LOQ	Isopropyl alcohol	.0048	13.9	500	<LOQ
Acetonitrile	0.0596	11.7	60	<LOQ	Methanol	.0005	6.9	250	13.8
Benzene	0.0002	0.2	1	<LOQ	Methylene chloride	.0029	24.3	125	<LOQ
Butane	.4167	25	5000	<LOQ	Pentane	.0371	20.8	750	<LOQ
Chloroform	0.0001	0.4	2	<LOQ	Propane	.0308	58.3	5000	<LOQ
Ethanol	0.0021	27.8	5000	<LOQ	Toluene	.0009	29.2	150	<LOQ
Ethyl Acetate	0.0012	11.1	400	<LOQ	Total Xylenes	.0001	29.2	150	<LOQ
Ethyl Ether	0.0049	13.9	500	<LOQ	Trichloroethylene	.0014	4.9	25	<LOQ
Ethylene Oxide	.0038	1	5	<LOQ					



Pesticides Multi State - Ingestion

Specimen Weight: 291.400 mg

Passed

SOP13.007 (LCMS/GCMS)

Dilution Factor: 5.150

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
Acetamiprid	0.000140	0.0248	0.2	<LOQ	Fonicamid	0.000466	0.0248	1.0	<LOQ
Aldicarb	0.000203	0.0248	0.4	<LOQ	Imidacloprid	0.000402	0.0248	0.4	<LOQ
Azoxystrobin	0.000188	0.0248	0.2	<LOQ	Metalaxyl	0.000270	0.0248	0.2	<LOQ
Bifenazate	0.0000860	0.0248	0.2	<LOQ	Methiocarb	0.000118	0.0248	0.4	<LOQ
Boscalid	0.000595	0.0248	0.2	<LOQ	Methomyl	0.0000640	0.0248	0.4	<LOQ
Carbaryl	0.000122	0.0248	0.5	<LOQ	methyl-Parathion	0.000820	0.0248	8.5	<LOQ
Carbofuran	0.0000860	0.0248	0.2	<LOQ	Myclobutanil	0.000573	0.0248	0.3	<LOQ
Chlorantraniliprole	0.0000840	0.0248	0.2	<LOQ	Oxamyl	0.0000410	0.0248	1	<LOQ
Chlorpyrifos	0.000109	0.0248	0.6	<LOQ	Permethrins	0.000624	0.0248	1.1	<LOQ
Cypermethrin	0.000985	0.0248	18	<LOQ	Pyridaben	0.000140	0.0248	0.2	<LOQ
Diazinon	0.000212	0.0248	2.6	<LOQ	Spiroxamine	0.000533	0.0248	2	<LOQ
Dichlorvos	0.00113	0.0248	0.1	<LOQ	Tebuconazole	0.000230	0.0248	0.4	<LOQ
Ethoprophos	0.000151	0.0248	0.4	<LOQ	Thiacloprid	0.000170	0.0248	0.2	<LOQ
Etofenprox	0.000172	0.0248	0.4	<LOQ	Thiamethoxam	0.000179	0.0248	0.2	<LOQ
Fipronil	0.000317	0.0248	1.0	<LOQ					

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.

